

1 FW
Cofe

Docket No. 99-104RCE
PATENT

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Mail Stop: Decision and Certificate of Correction Branch of the Patent Issue Division, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 3-28-05.

By: Suzanne Shadley
Suzanne Shadley

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 6,864,091
Issued: March 8, 2005
Name of Patentee: Symyx Technologies, Inc.
Title of Invention: Sampling Probe

09,652,489

**ATTENTION: Decision and Certificate of Correction,
Branch of the Patent Issue Division
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**

TRANSMITTAL LETTER

Sir:

Transmitted herewith (check all that apply):

- | | |
|--|---|
| <input type="checkbox"/> Preliminary Amendment | <input type="checkbox"/> Supplemental Information Disclosure Statement |
| <input type="checkbox"/> Response/Amendment | <input type="checkbox"/> Petition Under 37 CFR 1.97(d)(2) |
| <input type="checkbox"/> Response/Amendment After Final | <input type="checkbox"/> Formal Drawings |
| <input type="checkbox"/> Supplemental Amendment | <input type="checkbox"/> Declaration Under 37 CFR 1.131 |
| <input type="checkbox"/> Affidavits/Declarations | <input type="checkbox"/> Declaration Under 37 CFR 1.132 |
| <input type="checkbox"/> Declaration and Power of Attorney | <input type="checkbox"/> Terminal Disclaimer |
| <input type="checkbox"/> Supplemental Declaration | <input type="checkbox"/> Small Entity Statement |
| <input type="checkbox"/> Associate Power of Attorney | <input type="checkbox"/> Request for Refund |
| <input type="checkbox"/> Change of Correspondence Address | <input type="checkbox"/> Appeal |
| <input type="checkbox"/> Associate Power of Attorney | <input type="checkbox"/> Petition |
| <input type="checkbox"/> Response to Missing Parts | <input checked="" type="checkbox"/> Request For Certificate of Correction |


to be filed in the above-identified patent application.

☒ No fee is required.

☒ The Commissioner is hereby authorized to charge payment of any additional filing fees required under 37 C.F.R. § 1.16, in connection with the paper(s) transmitted herewith, or credit any overpayment of same, to Deposit Account No. 50-0496.

A duplicate copy of this Transmittal Letter is transmitted herewith.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Paul A. Stone", written over a horizontal line.

Paul A. Stone
Reg. No. 38,628
Attorney for Applicant(s)

Date: Mar 25, 2005

Symyx Technologies, Inc.
3100 Central Expressway
Santa Clara, California 95051
Tel.: (408) 764-2000
Fax: (408) 773-4029



Docket No. 99-104RCE
PATENT

CERTIFICATE OF MAILING

Hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Mail Stop: Decision and Certificate of Correction Branch of the Patent Issue Division, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 3-28-05.

By:


Suzanne Shadley

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 6,864,091
Issued: March 8, 2005
Name of Patentee: Symyx Technologies, Inc.
Title of Invention: Sampling Probe

**ATTENTION: Decision and Certificate of Correction,
Branch of the Patent Issue Division
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR OFFICE'S MISTAKES**

Dear Sir:

It is noted that several errors appear in this patent of a minor nature or character, as more fully described on Form PTO/SB/44 enclosed. The following errors by the U.S. Patent Office:

Col. 9, line 37, delete the comma between "resiliently" and "compliant"

Col. 9, line 54, delete "ar)" and insert --an--

Col. 11, line 10, delete "forte" and insert --forth--

Corrections thereof do not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

Attached hereto, in duplicate, is Form PTO/SB/44, with at least one copy being suitable for printing. The exact page and line numbers where the error occurs in the application file is listed on Form PTO/SB/44.


Please send the Certificate of Correction to:

Ronald A. Krasnow
Symyx Technologies, Inc.
3100 Central Expressway
Santa Clara, CA 95051

Patentee believes that no fee is required for these corrections. If a fee is required, the Commissioner is authorized to deduct such fee from Deposit Account 50-0496.

Date: _____

Mar. 25, 2005

A handwritten signature in black ink, appearing to read "Paul A. Stone", written over a horizontal line.

Paul A. Stone
Registration No. 38,628
Symyx Technologies, Inc.
3100 Central Expressway
Santa Clara, CA 95051
408-764-2000
Customer No. 22905

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO: 6,864,091
DATED: March 8, 2005
INVENTOR(S) : Wang et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Col. 9, line 37, delete the comma between "resiliently" and "compliant"
Col. 9, line 54, delete "ar)" and insert --an--
Col. 11, line 10, delete "forte" and insert --forth--

MAILING ADDRESS OF SENDER:

Symyx Technologies, Inc.
Attn: Legal Dept.
3100 Central Expressway
Santa Clara, CA 95051

PATENT NO. 6,864,091
No. of additional copies 1